

Quality.
Durability.
Flexibility.



BERTRAND
Docks 

**Proudly
Canadian
since 1995**

Bertrand Docks has been designing and manufacturing permanent, floating, and rolling docks and watercraft lifts since 1995.

Ingenuity, quality and durability are the hallmarks of our exclusive products, which are meticulously engineered and tested. We select only the finest materials, and our products meet the highest quality standards.




Floating docks, on posts
or on wheels...

Introducing the QB2 Modular Dock System

Discover Bertrand Docks' next generation docking system. A comprehensive component-based concept that adapts to your nautical needs and your specific environment.

Designed for maximum freedom, QB2 is engineered for ease of installation with limitless configurations.

Think better docks. Think QB2.



1. Flexible & adaptable

The QB2 modular dock system is designed for either fixed-post or float support, both being interchangeable without requiring structural modifications, should your dock site configuration change. Which means you can enjoy your QB2 dock for years to come, regardless of conditions or terrain.



3. Streamlined design

The QB2 system redefines dock design by concealing and capping posts, setting screw faces inwards, resulting in a dock that's both functional and beautiful.




4. Limitless dock configurations

The QB2 system offers virtually limitless dock configuration possibilities and effortless accessory installation options.



5. Exclusive Quick-Connect system

Our unique J-CLIP concept allows you to quickly install and move your accessories without any drilling.



6. Unrivalled sturdiness

Bertrand Docks are engineered and assembled to be twice as strong as ordinary docks.



A 20-Year Warranty. Because Our Products Are Built to Last

We manufacture only premium quality products, designed and tested for stability, durability, and safety. All our aluminum components and welds are backed by a comprehensive 20-year warranty. All our accessories and mechanical components come with a 2-year warranty.



Advantages and features

- A single structure for all types of installations
- Modular system
- Unlimited configuration possibilities
- Track for accessories (no drilling)
- Aluminum structure (durable, corrosion resistant, maintenance free)
- Removable panels (cedar, aluminum, X-Wave) for easy handling
- Stainless steel bolts and screws
- Cedar, X-Wave plastic (Beige or Grey), aluminum decking options
- Easy installation

10', 15', and 20' QB2 Kit includes

- 1 aluminum structure
- Cedar, plastic or aluminum decking

Add-ons

For dock on posts

- 2 bottom plates 7" x 7"
- 2 galvanized 6' posts
- 2 post caps
- 2 hinges

For floating docs


- 16" standard floats

Decking options

Our exclusive X-Wave synthetic decking made of anti-slip plastic is available in grey or beige. It is very lightweight, has a long service life, and requires very little maintenance.



X-Wave



Aluminum



Yellow Cedar



ThruFlow

Frame/ Aluminum structure weight

Dimensions	10'	15'	20'	Yellow Cedar 5' panel weight
28"	60 lb	89 lb	156 lb	32 lb
4'	69 lb	104 lb	170 lb	45 lb
5'	74 lb	111 lb	176 lb	61 lb
6'	84 lb	118 lb	180 lb	74 lb
8'	102 lb	140 lb	190 lb	96 lb

Commercial floating docks

A must-have for marinas, private clubs, municipalities, recreational harbours, big vessels and other large-scale projects.

Advantages and features

- Aluminum structure, 6000 marine grade
- Vast choice of lateral extruded aluminum profiles
- Diagonal and lateral bracing for greater stability of floating docks
- Sliding track system on 3 sides for easy installation of accessories
- Connecting hinges on track system for easy width adjustment between fingers for different-sized boats
- Reinforced and semi-rigid elastomer Flexi-Bloc hinge
- Buoyancy of 30 to 50 lb/ft² (146 to 245 kg/m²) or more, available on request
- Polyethylene rotomolded floats (HDPE) with minimum 3/16” wall thickness filled with expanded polystyrene (EPS) with a density of 1 lb/ft³ (16 kg/m³) or more, available on request
- Freeboard from 12” to 24” (300 mm to 600 mm) or more, available on request
- Optional channel and service pedestal for sanitary systems, electrical conduits and others
- Mooring system possible with chain and mooring buoy, pillar, vertical rail, horizontal arm anchor, elastic strap, cables, etc.



Flexi-Bloc connecting hinge
Reinforced and semi-rigid elastomer Flexi-Bloc hinge.

Deck surface options



X-Wave

BERTRAND DOCKS
EXCLUSIVITY



Aluminum



ThruFlow

Dock accessories that make a difference

Bertrand Docks offers a full range of dock accessories, featuring components that protect watercraft when docking and enhance user enjoyment and safety.



Hammock

The new way to relax on your dock!

- Robust, durable design
- Ultra-resistant fabric (uv-resistant and tear-resistant)
- Stainless steel and aluminum hardware
- Sets up in just minutes
- Dimensions: 6' × 10'
- Includes: 2 × 6' posts, 2 bottom plates, 2 blue caps and hinges



Lifestyle and storage



Double kayak rack
Adjustable rack, 22” depth for storing 2 kayaks to free up space on the dock.



Double paddle support
Supports 2 paddles or kayaks, freeing up dock space.



Floor-mounted kayak/paddle stand
For winter storage of kayaks and paddles. With its adjustable legs, it can be placed anywhere. Available in 3-unit or 2-unit versions.



Adjustable trunk support
Allows you to install a storage box without encroaching on your dock.



Side table
The perfect complement to your dockside set-up, it can be used in many different places!



Available in 3 sizes: 22” square, 27” square and 16” x 31” rectangular.



10’ X 10’ swimming raft
Includes: 1 aluminum structure, 12” floats, standard chain attachments, decking options (cedar, plastic or aluminum).



Bench
Two-person bench in cedar or aluminum. Is installed on and moves along the track system.

Safety and accessibility



Stairs
Height-adjustable stairs with anti-slip surface providing safe, easy access. Option 2, 3, 4, 5 or 6 steps.



Ladder
Welded aluminum ladder, available in 3, 4 or 5 steps.



Wood posts and manila rope
4" x 4" x 42" Wood posts and 1½" manilla rope, for a beautiful finish to your installation.

Functional add-ons



Cleats 8" / 10"
8" / 10" Cleat in aluminum with stainless steel hardware. No drilling required.



Nylon pipe holder
Robust pipe holder, stainless steel hardware, no drilling required.



Chain attachment
Designed to securely hold an anchor chain.



Stabilizer
Aluminum, recommended for depths of more than 3' to improve the structure's stability.



Mooring whip fasteners
Securely attach your mooring whips into the rail system. No drilling required.



Single or double adjustment winch
Allows the dock height to be adjusted, one or two corners at a time, by one person alone, without going into the water.



Transport wheels
8" wide by 24" diameter wheels mounted on axles to facilitate dock movements and manipulation.



Vinyl bumper
Added to the sides of the dock to protect your boat. No drilling required.



Corner bumper
Vinyl corner bumper, available in beige or black.



Vertical bumper
Vinyl vertical bumper, available in black or beige. Protects watercraft above and below water level.



Torpedo bumper
Corner bumper available in beige or black. Installed on a post.



Double post-mounted bumper
The best protection for your boat. Allows protection on two sides while maintaining aesthetic appeal.



Swim board

- Comfortable, convenient access to the water
- Provides direct access to the water for easy swimming
 - Adjustable to meet your specific needs
 - Secure attachment with the sturdy J-Clip
 - Ideal 4' long dimensions for generous space
 - Available in X-Wave beige or grey

Lighting



- Extend the pleasure of your dock late into the night
- 3 LED mood lighting
 - Light colour : Cool White
 - 4 1/4" x 5" x 1 1/4" size
 - Stainless steel
 - Waterproof
 - Solar-powered, automatically charges during the day and operates from 6 to 8 hours at sunset



Boat Lifts

The best protection for your boat.

Manual Boat Lifts



Advantages and features

- Easy assembly with minimum maintenance
- 80% factory assembly
- Lightweight, durable structure
- All-aluminum structure with MIG-pulse welding (durable, corrosion resistant, and maintenance free)
- Stainless steel bolts and cables
- Aluminum/plastic bunks
- V-shaped bed for M3400, M4500 and M550 models
- Cantilever model (1 200 lb capacity)
- Vertical lift models (1 200 to 5 500 lb capacity)
- Swivel pads for enhanced stability
- Side guides included in purchase price on M2000 model and above

Options

- 12V motor
- 110V motor
- Transport kit with wheels
- Motor stop
- 20', 24', or 26' canopies and canopies for wakeboard tower, 9 colours of canvas with 50" overhang
- Vertical entry guide (M2000 and above)
- Adjustable legs, drilling required (M2000 and above)

Important!

In addition to using the lift appropriately, the weight of the following elements must be taken into account in determining the capacity of your lift: the boat, motor, accessories, gas, and the water in the ballasts. The rule for calculating the weight limit is to add 30% to the weight of the boat + engine. Otherwise, Bertrand Docks will not be liable and the warranty will be null and void.



Model	Width	Capacity	Weight	Legs	Lift	Made for
Multimaster M1200	72"	1200 lb	130 lb	32"	36"	Rowboat and PWC
Multimaster M1200 vertical	60"	1200 lb	140 lb	32"	42"	PWC
Multimaster M2000	982"	2000 lb	280 lb	64"	60"	12' to 17'
Multimaster M3400	118"	3400 lb	340 lb	64"	60"	19' to 20'
Multimaster M3500	122"	3500 lb	310 lb	64"	60"	Pontoon
Multimaster M4500*	122"	4500 lb	415 lb	64"	60"	20' to 24'
Multimaster M5500*	122"	5500 lb	610 lb	64"	60"	24' to 28'

M2000 and above equipped with side guides. M3400, M4500, M5500 equipped with V-shaped bunk.
* Option of adapting these models for pontoon boats.

Hydro-cable Boat Lifts

Advantages and features

- Enables you to lift and lower your boat with no physical effort
- Minimum maintenance
- Lightweight, durable structure
- Lift capacity of 4 500 lb or more
- Protects your boat from rubbing against the dock
- All-aluminum structure (durable, corrosion resistant, and maintenance free)
- Stainless steel hardware
- High-performance MIG-pulse welding
- Adjustable legs
- Hydraulic unit
- Cylinders containing environmentally-friendly biodegradable hydraulic oil
- 2 wireless remotes
- Manual control included
- 12V and 24V power supply (HC8500 model)
- Side guides included
- V-shaped bed
- Adjustable aluminum/plastic bunks

Options

- Canopy
- Transport kit with wheels
- Vertical entry guide
- Adjustable legs, drilling required
- Motor stop

Model	Width	Capacity	Weight	Legs	Lift	Made for
Hydro-cable HC4500*	122"	4500 lb	475 lb	64"	52"	20' to 24'
Hydro-cable HC6500*	122"	6500 lb	655 lb	64"	52"	24' to 28'
Hydro-cable HC8500*	132"	8500 lb	755 lb	64"	52"	28' and above

* Option of adapting these models for pontoon boats.



Hydro-lift Boat Lifts

Advantages and features

- Enables you to lift and lower your boat with no physical effort
- No cables, no pulleys
- Longer lifespan
- Minimum maintenance
- Lightweight, durable structure
- Lift capacity up to 12 000 lb
- Protects your boat from rubbing against the dock
- All-aluminum structure (durable, corrosion resistant, and maintenance free)
- Stainless steel hardware
- High-performance MIG-pulse welding
- Adjustable legs
- Hydraulic unit
- Cylinders containing environmentally-friendly biodegradable hydraulic oil
- 2 wireless remotes
- Manual control included
- 12V power supply
- Vertical entry guides included
- V-shaped bed
- Adjustable aluminum/plastic bunks
- Transport kit with wheels included

Options

- Canopy
- Adjustable legs, drilling required



Model	Width	Capacity	Weight	Legs	Lift	Made for
Hydro-lift HL1500	72"	1500 lb	195 lb	32"	48"	Rowboat and PWC
Hydro-lift HL4500*	132"	4500 lb	432 lb	48"	65"	21' to 24'
Hydro-lift HL6500*	132"	6500 lb	570 lb	48"	65"	23' to 27'
Hydro-lift HL8500*	132"	8500 lb	615 lb	48"	65"	24' to 32'
Hydro-lift HL10000	153"	10000 lb	810 lb	48"	72"	28' to 34'
Hydro-lift HL12000	153"	12000 lb	930 lb	48"	72"	30' to 36'

* Option of adapting these models for pontoon boats.

Lift Accessories



Canopy
Protects watercraft and makes it unnecessary to remove and install protective tarps on a daily basis.

Choice of canvas colours (options may vary)



Direct-drive motor
12V or 110V motor, with optional 15' cord pendant for manual lift.



Motor stop
Protects the motor from being hit due to poor positioning in the boat lift.



Central transport wheels
Two 24" wheels mounted on a central lift system for effort-free use.



2-Axle transport kit
4 aluminum 12" wheels mounted on 2 axles that can be left in the water after installation.



Transportation handles
Provides easier handling when manipulating the lift.



Adjustable transport kit
4 independent 24" wheels provide stability and facilitate movement.



Solar Panel
20W solar panel, charge controller and battery box that can be used with a 12V direct drive motor

Adjustable legs
(drilling required)
Allows you to easily adjust and level your lift. Rise up to 48". 15/16" socket required.

Vertical entry guide
Provides protection and visual help when centering your boat. 60" height.

Design your project





bertranddocks.com
info@quaisbertrand.com

Tel.: 819 847-1555
Fax: 819 847-3555